

HTML: Listen

Syntax

```
<ul>
  <li>Listenelement 1</li>
  <li>Listenelement 2</li>
</ul>
```

unnummerierte
Liste

Listenelemente

The diagram illustrates the syntax of an unnumbered list. It features a blue rectangular box at the bottom labeled "Listenelemente". Inside this box, there are two blue arrows pointing upwards to the start of each list item: "Listenelement 1" and "Listenelement 2". Above these items, an orange bracket labeled "unnummerierte Liste" spans the width of the list items. At the very top left, an orange bracket labeled "" spans the width of the entire list structure, from the opening tag to the closing tag "".

Beispiel

```
<ul>  
    <li>Listenelement 1</li>  
    <li>Listenelement 2</li>  
    <li>Listenelement 3</li>  
</ul>
```

- Listenelement 1
- Listenelement 2
- Listenelement 3

un-/nummerierte Listen

"unordered list"

```
<li>Listenelement 1</li>
<li>Listenelement 2</li>
<li>Listenelement 3</li>
```

- Listenelement 1
- Listenelement 2
- Listenelement 3

"ordered list"

```
<li>Listenelement 1</li>
<li>Listenelement 2</li>
<li>Listenelement 3</li>
```

1. Listenelement 1
2. Listenelement 2
3. Listenelement 3

HTML-Listen: Übung

Erstellen Sie eine HTML-Seite, auf der diese beiden Listen angezeigt werden:

Projektplan

1. Pflichtenheft
2. Technikcheck
3. Programmierung
4. Abnahme

Bitte beachten:

- Serverstandort USA!
- valides HTML 5 produzieren
- Timeline einhalten!